


MDA HT Series







FEATURES

-
-
-
-
-
-

APPLICATION


-
-
-
-
-









| Part No | Inductance @ 100KHz/1V | Tolerance | Temperature Rise Current Typ. | Temperature Rise Current Max. | Current Typ. | Current Max. | DC Resistance Typ. | DC Resistance Max. |
|---------|------------------------|-----------|-------------------------------|-------------------------------|--------------|--------------|--------------------|--------------------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Part No | Inductance @ 100KHz/1V | Tolerance | Temperature Rise Current Typ. | Temperature Rise Current Max. | Current Typ. | Current Max. | DC Resistance Typ. | DC Resistance Max. |
|---------|------------------------|-----------|-------------------------------|-------------------------------|--------------|--------------|--------------------|--------------------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

△









C
C
C

:



| | | | | | | | | | |
|-----------|----------|----------|---------|---------|--------|--------|---------|----------|-----------|
| MDA1054HT | 10.4±0.1 | 11.6±0.1 | 1.5±0.1 | 4.0±0.1 | 16±0.1 | 24±0.3 | 5.7±0.1 | 1.75±0.1 | 0.40±0.05 |
|-----------|----------|----------|---------|---------|--------|--------|---------|----------|-----------|



The peel force of top cover tape shall be between 0.1 to 1.3 N

